

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((unique\$2) with (frame adj2 counter)) and (sequence adj2 counter) and (709/224,236 or 710/30).ccls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:15
L2	0	((unique\$2) with (frame adj2 counter)) and (sequence adj2 counter) and (709/224,236 or 710/30).ccls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:16
L3	5	(frame adj2 counter) and (sequence adj2 counter) and (709/224,236 or 710/30).ccls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:16
L4	109	((frame with sequence) with (together) with (bind \$3 or append\$3 or attach\$3 or concat\$7 or combin\$3))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:20
L5	1	((frame with sequence) with (together) with (bind \$3 or append\$3 or attach\$3 or concat\$7 or combin\$3)) and (709/224,236 or 710/30).ccls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:20
L6	1	((unique\$2) with (frame adj2 counter)) and (sequence adj2 counter)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:26
L7	9	((frame adj2 counter) and (sequence adj2 counter)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:26

L8	2797	((frame with (count\$3 or value or number \$3)) and ((count\$3 or number\$3 or value) with sequence) and ((updat\$3 or refresh\$3 or (up adj to adj date)) with frame with (count\$3 or number\$3 or value))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:33
L9	29	((frame with (count\$3 or value or number \$3)) and ((count\$3 or number\$3 or value) with sequence) and ((updat\$3 or refresh\$3 or (up adj to adj date)) with frame with (count\$3 or number\$3 or value)) and (709/224,236 or 710/30).ccls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:34
L10	161	((frame with (count\$3 or value or number \$3)) and ((count\$3 or number\$3 or value) with sequence) and ((updat\$3 or refresh\$3 or (up adj to adj date)) with frame with (count\$3 or number\$3 or value)) and "709". clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:49
L13	2	((frame near (count\$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4)) and ((sequence near (count \$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4)) and (frame near counter) and (sequence near counter) and (zero or initial\$3) and (updat\$3 or current or (up adj to adj date)) and (709/224,236 or 710/30).ccls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:58

L14	72	((frame adj counter) and (counter with sequence) and ((mod or modulo) with "256"))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:00
L15	0	((frame adj counter) and (counter with sequence) and ((mod or modulo) with "256")) and (709/224,236 or 710/30).ocls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:02
L16	1	((frame with sequence) with (together) with (bind \$3 or append\$3 or attach\$3 or concat\$7 or combin\$3)) and network and (709/224,236 or 710/30).ocls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:08
L17	1	((frame adj counter) and (counter with sequence) and ((mod or modulo) with "256")).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:09
L18	154	((frame with (count\$3 or value or number \$3)) and ((count\$3 or number\$3 or value) with sequence) and ((updat\$3 or refresh\$3 or (up adj to adj date)) with frame with (count\$3 or number\$3 or value))).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:10
L19	12	((frame with (count\$3 or value or number \$3)) and ((count\$3 or number\$3 or value) with sequence) and ((updat\$3 or refresh\$3 or (up adj to adj date)) with frame with (count\$3 or number\$3 or value))).clm. and ("709" "710").clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:10
L20	50	((calculat\$4 or determin\$5) with (frame adj2 counter)) and (sequence adj2 counter))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:19

L21	2	((calculat\$4 or determin\$5) with (frame adj2 counter)) and (sequence adj2 counter)) and (709/224,236 or 710/30).ccls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:41
L22	1	((calculat\$4 or determin\$5) with (frame adj2 counter)) and (sequence adj2 counter)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:41
L23	2	((generat\$3 or creat \$3) with (frame adj2 counter)) and (sequence adj2 counter)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:42
L24	0	((generat\$3 or creat \$3) with (frame adj2 counter)) and (sequence adj2 counter)) and (709/224,236 or 710/30).ccls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:43
L25	59	((generat\$3 or creat \$3) with (frame adj2 counter)) and (sequence adj2 counter))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:43
L26	0	((generat\$3 or creat \$3) with unique\$2 with (frame adj2 counter)) and (sequence adj2 counter))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:43
L27	2	((generat\$3 or creat \$3) with (period\$6 or systematically) with (frame adj2 counter)) and (sequence adj2 counter))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:44
L28	2	((generat\$3 or creat \$3) with (period\$6 or occasionally or systematically) with (frame adj2 counter)) and (sequence adj2 counter))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:44

L29	0	((((generat\$3 or creat\$3) with (period\$6 or occasionally or systematically) with (frame adj2 counter)) and (sequence adj2 counter)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:47
L30	2	((initial\$2) adj2 sequence adj2 counter) and (frame adj2 counter))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:48
L31	1	((initial\$2) adj2 sequence adj2 counter) and (frame adj2 counter)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:48
L32	0	((initial\$2) adj2 sequence adj2 counter) and (frame adj2 counter)) and (709/224,236 or 710/30).ocls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:48
S1	1	"20040136527"	US-PGPUB; USPAT	OR	ON	2008/04/07 16:08
S2	93	@ay<"2003" and (frame adj counter) and "709".clas.	US-PGPUB; USPAT	OR	ON	2008/04/07 19:47
S3	8	@ay<"2003" and (frame adj counter) and "709".clas. and (counter with sequence)	US-PGPUB; USPAT	OR	ON	2008/04/07 19:48
S4	0	@ay<"2003" and (frame adj counter) and "709".clas. and (counter with sequence) and ((mod or modulo) with "256")	US-PGPUB; USPAT	OR	ON	2008/04/07 20:04
S5	5	@ay<"2003" and (frame adj counter) and (counter with sequence) and ((mod or modulo) with "256")	US-PGPUB; USPAT	OR	ON	2008/04/07 20:05
S6	0	@ay<"2003" and (frame adj counter) and (counter with sequence) and ((mod or modulo) with "256") and "802.15"	US-PGPUB; USPAT	OR	ON	2008/04/07 20:20

S7	1567	@ay<"2003" and (frame with (count\$3 or value or number \$3)) and ((count\$3 or number\$3 or value) with sequence) and ((updat\$3 or refresh\$3 or (up adj to adj date)) with frame with (count\$3 or number\$3 or value))	US-PGPUB; USPAT	OR	ON	2008/04/07 22:19
S8	98	@ay<"2003" and (frame with (count\$3 or value or number \$3)) and ((count\$3 or number\$3 or value) with sequence) and ((updat\$3 or refresh\$3 or (up adj to adj date)) with frame with (count\$3 or number\$3 or value)) and "709". clas.	US-PGPUB; USPAT	OR	ON	2008/04/07 22:19
S9	60	@ay<"2003" and (frame adj counter) and (counter with sequence) and ((updat \$3 or refresh\$3 or (up adj to adj date)) with (frame) with count\$3)	US-PGPUB; USPAT	OR	ON	2008/04/07 22:20
S10	150	@ay<"2003" and (frame adj counter) and (counter with sequence) and ((updat \$3 or refresh\$3 or (up adj to adj date) or current) with (frame) with count\$3)	US-PGPUB; USPAT	OR	ON	2008/04/07 22:20
S11	116	@ay<"2003" and (frame adj counter) and (counter with sequence) and ((updat \$3 or refresh\$3 or (up adj to adj date) or current) with (frame) with counter)	US-PGPUB; USPAT	OR	ON	2008/04/07 22:20

S12	38	@ay< "2003" and (frame adj counter) and (counter with sequence) and ((updat \$3 or refresh\$3 or (up adj to adj date) or current) with (frame) with counter) and (mod or modulo)	US-PGPUB; USPAT	OR	ON	2008/04/07 22:21
S13	2	@ay< "2003" and (frame adj counter) and (counter with sequence) and ((updat \$3 or refresh\$3 or (up adj to adj date) or current) with (frame) with counter) and ((mod or modulo) with (size or length))	US-PGPUB; USPAT	OR	ON	2008/04/07 22:21
S14	29	@ay< "2003" and (frame adj counter) and (counter with sequence) and ((updat \$3 or refresh\$3 or (up adj to adj date) or current) with (frame) with counter) and ((mod or modulo) with (size or length or amount or value or number or sequence))	US-PGPUB; USPAT	OR	ON	2008/04/07 22:22
S15	4	@ay< "2003" and (frame adj counter) and (counter near sequence) and ((updat \$3 or refresh\$3 or (up adj to adj date) or current) with (frame) with counter) and ((mod or modulo) with (size or length or amount or value or number or sequence))	US-PGPUB; USPAT	OR	ON	2008/04/08 15:42

S16	4	@ay<"2003" and (frame near counter) and (counter near sequence) and ((updat \$3 or refresh\$3 or (up adj to adj date) or current) with (frame) with counter) and ((mod or modulo) with (size or length or amount or value or number or sequence))	US-PGPUB; USPAT	OR	ON	2008/04/08 15:42
S17	1702	personalized with (web adj (site or page))	US-PGPUB; USPAT	OR	ON	2008/04/08 16:02
S18	14831	((custom\$5 or personalized) with (web adj (site or page)))	US-PGPUB; USPAT	OR	ON	2008/04/08 16:02
S19	53	((custom\$5 or personalized) with (web adj (site or page))).ti.	US-PGPUB; USPAT	OR	ON	2008/04/08 16:03
S20	0	@ay<"2003" and ((frame near counter) and (counter near sequence) with (sender or transmitter or server))	US-PGPUB; USPAT	OR	ON	2008/04/08 23:14
S21	0	@ay<"2003" and ((frame near counter) with (counter near sequence) with (sender or transmitter or server))	US-PGPUB; USPAT	OR	ON	2008/04/08 23:14
S22	0	@ay<"2003" and ((frame near counter) with (sender or transmitter or server)) and ((counter near sequence) with (sender or transmitter or server))	US-PGPUB; USPAT	OR	ON	2008/04/08 23:15



S23	372	@ay<"2003" and ((frame near (count\$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4 or server)) and ((sequence near (count\$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4 or server))	US-PGPUB; USPAT	OR	ON	2008/04/08 23:19
S24	363	@ay<"2003" and ((frame near (count\$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4)) and ((sequence near (count \$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4))	US-PGPUB; USPAT	OR	ON	2008/04/08 23:20
S25	310	@ay<"2002" and ((frame near (count\$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4)) and ((sequence near (count \$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4))	US-PGPUB; USPAT	OR	ON	2008/04/08 23:20
S26	21	@ay<"2002" and ((frame near (count\$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4)) and ((sequence near (count \$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4)) and (frame near counter) and (sequence near counter)	US-PGPUB; USPAT	OR	ON	2008/04/08 23:22

S27	20	@ay<"2002" and ((frame near (count\$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4)) and ((sequence near (count \$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4)) and (frame near counter) and (sequence near counter) and (zero or initial\$3))	US-PGPUB; USPAT	OR	ON	2008/04/08 23:27
S28	19	@ay<"2002" and ((frame near (count\$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4)) and ((sequence near (count \$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4)) and (frame near counter) and (sequence near counter) and (zero or initial\$3) and (updat\$3 or current or (up adj to adj date))	US-PGPUB; USPAT	OR	ON	2008/04/08 23:29
S29	1	"5265103".pn.	US-PGPUB; USPAT	OR	ON	2008/04/25 15:48
S30	1	"6873621".pn.	US-PGPUB; USPAT	OR	ON	2008/04/25 20:53
S31	1	"6909887".pn.	US-PGPUB; USPAT	OR	ON	2008/04/25 20:54
S32	1	"4030072".pn.	US-PGPUB; USPAT	OR	ON	2008/04/25 20:57
S33	2444	@ay<"2003" and ((frame with sequence) with (together))	US-PGPUB; USPAT	OR	ON	2008/04/25 21:13
S34	40	@ay<"2003" and ((frame with sequence) with (together)) and "709". clas.	US-PGPUB; USPAT	OR	ON	2008/04/25 21:14

S35	0	@ay<"2003" and ((frame with sequence) with (together) with (bind \$3 or append\$3 or attach\$3 or concat\$7)) and "709".clas.	US-PGPUB; USPAT	OR	ON	2008/04/25 21:14
S36	52	@ay<"2003" and ((frame with sequence) with (together) with (bind \$3 or append\$3 or attach\$3 or concat\$7 or combin\$3))	US-PGPUB; USPAT	OR	ON	2008/04/25 21:14
S37	52	@ay<"2003" and ((frame with sequence) with (together) with (bind \$3 or append\$3 or attach\$3 or concat\$7 or combin\$3))	US-PGPUB; USPAT	OR	ON	2008/04/25 21:15
S38	20	@ay<"2003" and ((frame with sequence) with (together) with (bind \$3 or append\$3 or attach\$3 or concat\$7 or combin\$3)) and network	US-PGPUB; USPAT	OR	ON	2008/04/25 21:18
S39	2	("5265103" "6909887").pn.	US-PGPUB; USPAT	OR	ON	2008/12/03 16:16
S40	2	@ay<"2003" and (frame adj counter) and (counter with sequence) and ((updat \$3 or refresh\$3 or (up adj to adj date) or current) with (frame) with counter) and ((mod or modulo) with (size or length))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/12/03 21:39
S41	8	@ay<"2003" and (frame adj counter) and "709".clas. and (counter with sequence)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/12/03 21:39

S42	20	@ay<"2002" and ((frame near (count\$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4)) and ((sequence near (count \$3 or amount or number)) with (send \$3 or transmit\$4 or transfer\$4)) and (frame near counter) and (sequence near counter) and (zero or initial\$3)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/12/03 21:40
S43	5	@ay<"2003" and (frame adj counter) and (counter with sequence) and ((mod or modulo) with "256")	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/12/03 21:41
S44	252	(frame adj2 counter) and (sequence adj2 counter)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/21 21:53
S45	5	((compress\$4 or replac \$3 or remov\$3 or delet \$3) with (frame adj2 counter)) and (sequence adj2 counter)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/21 21:53
S46	4	((unique\$2) with (frame adj2 counter)) and (sequence adj2 counter)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:26

5/22/09 6:16:52 PM

C:\Documents and Settings\achoudhury\My Documents\ EAST\ Workspaces  
\ azizul10726493.wsp